

Asientos para autobuses

Seats for buses



IRATI STANDARD

La perfecta combinación de balance, ergonomía, confort y seguridad

The perfect combination of balance, ergonomics, comfort and safety



Seating—on a higher level.

ISRI® 
ISRINGHAUSEN

ASIENTO IRATI STANDARD

Alto estándar de confort, la característica especial de este asiento es su diseño ideal para distancias medias a largas, su ergonomía da total comodidad a sus pasajeros y permite conseguir un amplio espacio entre asientos.

Está desarrollado para dar comodidad con algunos detalles en sus acabados. Tiene gran variedad de accesorios y opcionales que lo hacen un asiento muy versátil.

El asiento IRATI STD está homologado según la norma ECE 80 y directivas europeas 96/37/CE.

Características:

Estructuras:

- Respaldo tubo doblado y troquelado calibre 14
- Plataforma perfil PTR de 1 pulgada calibre 14 y lámina corte láser
- Cojín perfil soldado y troquelado calibre 14 con muelles calibre 10
- Pedestal lámina troquelada calibre 14
- Brazo fabricado en aluminio y recubrimiento en ABS

Espumas:

- Respaldo y cojín cold cure con densidad de 40 kg
- Acolchados espuma soft de 30 milímetros y densidad de 24 kg

Opcionales:

- Posavasos fijo o de cartera
- Revistero de maya color gris (Autonet) o modelo U color negro
- Cinturon de seguridad retráctil de 2 o 3 puntos
- Apoya pies modelo U2 o MT4
- Apoya brazo central elevable o de ventanilla fija modelo Irati
- Apoya brazos central elevable modelo Trotter
- Perchero de plástico
- Mesa tipo avión de plástico
- Soporte metálico bajo cojín para dual charger (USB o 110V) y USB
- Lateral en aluminio
- Brazo pasillo abatible modelo Irati
- Reclinación multiposicional continua
- Preparación o soporte para la instalación en lateral tipo USB, Jack o teclado.

IRATI STANDARD SEAT

High standard of comfort, the special feature of this seat is its ideal design for medium to long distances. Its ergonomics gives total comfort to its passengers and allows to achieve a wide space between seats.

It is developed to give comfort with some details in its finishings. It has a wide variety of accessories and options that make it a very versatile seat.

The IRATI Standard seat complies with ECE 80 and 96/37/CE European standards.

Characteristics:

Structures:

- Bent and 14-gauge die-cast tube backrest
- 1-inch, 14-gauge PTR profile and laser cut sheet platform
- Welded die-cast 14-gauge with 10-gauge spring cushion
- 14-gauge die-cast sheet pedestal
- Aluminum armrest and ABS cover

Foams:

- Cold cure with a 40-kg density backrest and cushion
- 30-millimeter, 24 kg density soft foam padding

Optional features:

- Fixed or collapsable cupholder
- Gray mesh magazine holder (Autonet) or black U magazine holder (Autonet)
- 2 or 3 point retractable seat belt.
- U2 or MT4 model footrest
- Middle swivel or window fixed Irati model armrest
- Middle swivel Trotter model armrest
- Plastic coat hanger
- Airplane-type plastic tray
- Metal support under cushion for dual charger (USB/110 V) and USB
- Aluminum alu side
- Collapsable aisle Irati model armrest
- Continuous multipositional reclination
- USB, jack or keyboard installation for structure or platform for side armrest.



Lateral de aluminio modelo IRATI/
IRATI model aluminum alu side



Mesa tipo avión de plástico/
Airplane-type plastic tray



Revistero de malla color gris/
Gray mesh magazine holder

Asientos para autobuses

Seats for buses



IRATI STD

La perfecta combinación de balance, ergonomía, confort y seguridad

The perfect combination of balance, ergonomics, comfort and safety

Dimensiones y peso:

- Ancho mancuerna = 950, 1015 y 1040 mm
- Altura normal = 1125 mm
- Peso mancuerna = 42 Kg

Sujeto a modificaciones técnicas.



Edición 02/2021

Measures and weight:

- Seat set width = 950, 1015 and 1040 mm
- Regular height = 1125 mm
- Seat set weight = 42 Kg

Subject to technical modifications.

Updated 02/2021



ASIENTOS ESTEBAN MEXICO S.A. DE C.V.

Av. de las misiones No. 23
Frac. Industrial Bernardo Quintana
El Marques, Querétaro, México. 76246
info@estebanmex.com.mx

Tel: +52 (442) 221 51 23
Tel: +52 (442) 221 57 44